



1 ACTIVATING YOUR SOFTWARE

Sinapse Print Simulators has changed the software protection system used by the simulators and replaced hardware dongles by software protection keys. This is the reason why you will not find any dongle in your package.

1) For the update of existing licenses under HASP to a new version, go to part 3

2) For new installations:

After simulator installation, your software is available for 7 (seven) days after the first startup. To continue using your simulator, you will need to activate it.

The activation process will be based on files exchanged between customer and vendor.


- C2V (meaning customer to vendor) includes information about your computer. It allows the vendor to generate the licence file.
- V2C (meaning vendor to customer) is the licence file, based on the C2V file sent by the customer to the vendor.

Both C2V and V2C files are encrypted and can be used only once in the activation process.


2 COLLECTING INFORMATION FOR THE SOFTWARE KEY

To generate the C2V file, run the application SPS_RUS (Remote update System) located in the folder C:\SgiTools\HASP (a shortcut is available in Sinapse Print Simulators\protection).

Click on "Collect information".




Save the C2V file with the name of your company/school, the simulator and version. (ex: Smith School-Shots-5.2)



A message shows that the key status has been retrieved successfully.


Send by email the C2V file to support@sinapseprint.com
(email subject: simulator activation request)



3 ACTIVATING THE LICENSE KEY

In the case of an update, Sinapse has sent you by email the V2C file of the new version.

Once you have received the V2C file from Sinapse, run again the application SPS_RUS, load the V2C file received and click on "Apply Update" to activate your simulator.



After validation, the license is active on your computer, according to your purchase order.

For any technicals questions, contact support@sinapseprint.com